



WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT RESISTANCE TO FIRE AN/OR SMOKE  
LEAKAGE CHARACTERISTICS.

## EC DECLARATION OF PERFORMANCE

(System 3)  
Issue No: 001

THIS IS TO CERTIFY THAT

Signature Windows & Doors

of

Stephen St, Dunlavin  
Co- Wicklow.

HAVE CONFORMED WITH BS EN 14352-1:2006+A1:2010  
ANNEX ZA

FOR

*Aluminium Folding sliding Patio Doors using Triple Glazing*

INSIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION CONTROL COMPLYING WITH EN 14351-  
1:A1:2010 ANNEX ZA.

Essential Characteristics	Performance	Test Standards	Name, Address and Notified Body No of Test Laboratory	Test report reference and issue date
Water tightness	<i>npd</i>	BS EN 1027	<i>N/A</i>	<i>N/A</i>
Dangerous substances	<i>None</i>	BS EN 14351-1: 2006+A1:2010	<i>N/A</i>	<i>In house declaration</i>
Resistance to wind load	<i>npd</i>	BS EN 12211	<i>N/A</i>	<i>N/A</i>
Load-bearing capacity of safety devices	<i>npd</i>	BS EN 948	<i>N/A</i>	<i>N/A</i>
Acoustic performance	<i>npd</i>	BS EN ISO 140-3	<i>N/A</i>	<i>N/A</i>
Thermal transmittance	<i>1.7 W/m2K</i>	EN ISO 10077-1 & EN ISO 10077-2 (or EN ISO 12567-1 and prEN 12567-2)	<i>Notified Body: 1806 Buildcheck Ltd Lancaster Hse Cressex Business Pk High Wycombe Bucks HP12 3PY</i>	<i>Ref: CU13274-2 23 October 2013</i>
Radiation properties	<i>npd</i>	EN 410	<i>N/A</i>	<i>N/A</i>
Air permeability	<i>npd</i>	BS EN 1026	<i>N/A</i>	<i>N/A</i>

This declaration of performance is issued under the sole responsibility of *Signature Windows & Doors*

Signed on behalf of *Signature Windows & Doors*:  
Name and Position: Tommy Hayes GM IRL.

Signature: ..... Date: 23<sup>rd</sup> October 2013